



Key Features



Merkatu Espezifikoa

Seinaleztapen irtenbide malgu bat eskainiz, gure Totem ezin hobe da hainbat aplikaziotarako, lanean ondo merkatu bertikal anitzetarako, hala nola garraio eta entretenimendu industrietarako.



Alde bikoitza

Vestel-en Totem-ek alde biko pantaila aukera eskaintzen du, gaitzeko zure marka jende gehiagorengana iristeko.



Diseinu sendoa

Diseinu erakargarria bezain sendoa eskainiz, gure argala, Stand-alone Totem-ek PC integratutako funtzionaltasuna eman dezake, emanek edukiak kudeatzeko sistema autonomoa duzu.

Bistaratzea

Backlight Type	EDGE TYPE LED (DUAL STRING)	Brightness (typical)	900
Native Resolution	1920 x 1080 (16:9)	Contrast Ratio (typical)	4000:1
Dynamic Contrast Ratio	1M:1	Life Time (typical)	30,000 hr / 50,000 Hr
Response Time (typical)	8 ms	Cabinet	T05
Active Area (H x V)	1435.5 (mm) x 810.5 (mm)	Viewing Angle	178°
White Uniformity	≤ 25%	Color Value	10 bit, 1.06B
H-Freq	67.5 kHz	Max. Pixel Freq.	74.25 MHz
Refresh Rate	60 Hz	Front Type	Hard Coating
Orientation	Portrait	Operation Hours	a-Si TFT Tv Panel
Area of Usage	Indoor		

Atzeko I/Oak

External Control	RS232 (D-Sub 9P)
------------------	------------------

Biltegitratzeko baldintzak

Temperature Conditions	-15°C / +40°C
------------------------	---------------

PCaren zehaztapenak

CPU	Intel i3 4000M	Chipset	4th Generation Intel HM86 Chipset
GPU	Intel® HD Graphics 4600	Memory	4GB (up to 16 GB) 1333/1600 Mhz DDR3 RAM
Network	LAN: 10/100/1000 Mbps, Ethernet WLAN: 802.11 b/g/n (802.11a/b/g/n optional), Bluetooth 4.0 (optional), 3G: N/A	Storage	SSD: 256 GB, HDD: 500 GB
I/O Ports	1 x RJ45, 10/100/1000 Mbps Ethernet, 2 x USB 3.0 Ports, 2 x USB 2.0 Ports, 1 x Headphone 3.5 mm jack, 1 x Microphone 3.5 mm jack, 2 x Wifi Antenna Connector	Operating System	Windows 10

Ingurumen Baldintzak

Operating Temperature	0°C / +40°C	Operating Humidity	90%
-----------------------	-------------	--------------------	-----

Boterea

Power Supply	220 - 240 VAC / 50 - 60Hz
--------------	---------------------------

Energia-kontsumoa

Typical	308 W	Deep Standby	3W
---------	-------	--------------	----

Ezaugarri Mekanikoak

Size (w/foot)	1028x488x1948(mm)	Size (wo/foot)	1028x77.5x1718(mm)
Weight (kg)	70 kg	Shipping Weight	125 kg
Vesa Mounting Size	600 mm x 400 mm		

Features

Main Features	Pluggable PC (VPS) compliance	Mechanical Features	Vertikales, schlankes Design mit Standfuß, Antireflexglas
Optional Features	Vsign - Content Management Software		

Osagarria

Standard	IB, Power Cord	Optional	VPS
----------	----------------	----------	-----

Ziurtapena

Safety	YES	EMC	YES
CB	YES	CE	YES