IFX + SERIES

EXCLUSIVE SERIES 4TH GENERATION
INTERACTIVE FLAT PANEL DISPLAYS
>

www.vestelvisualsolutions.com

2023-2024

VESTEL

IFX+ Series

IFX Series Overview

Our latest IFX Plus Series displays(65", 75", 86")helps instructors to create an engaging and responsive learning environment, offering fast response touch screen technology with front accessibility module with front speakers, front input/outputs, far field microphone, embedded proximity sensor, and NFC reader. The series is also equipped with scratch resistant 4 mm antiglare tempered glass and IR 20-point touch points.

General Features

86" **75"** **65"** Multiple Display Sizes	Anti-Glare Tempered Glass	→|← Slim Bezel / Seamless Touch Depth	**4K** **ULTRAHD** Impressive 4K Performance
A Great Many Rear I/OPorts Available		Improved Fluent 20pt Touch Experience	WiFi/BT

Hardware Features

Android Customized Android OS	x4 Quad Core CPU	▷ Enhanced Graphics	4 GB DDR4 Options	eMMC 64 GB eMMC Options	Wifi 5 / BT 5.0

Display Features

VESTEL

Conventional

Flicker free

Impressive 4K Performance

Exceptional viewing creates superior picture quality with 4K resolution and 178-degree viewing angle.

Anti-glare glass

Eye-care Solution

Designed to reduce eye strain with flicker-free screen@ at maximum brightness level.

Anti-shatter toughened glass

Anti Glare Tempered Glass

The anti-glare coating prevents excessive light reflection and provides a smooth touch performance. Toughened glass is incorporated into the robust design of the display to avoid accidental damage to the screen.

Touch Features

Improved Fluent Touch Experience

Incorporating the latest 20 point IR Touch technology with faster response, IFX+ range is designed to allow multiple users to interact simultaneously.

Smooth Touch Support

Super-smooth surface of IFX+ allows for highly precise and user-friendly writing experience.

20
20-point touch

High precision touch

Super glide surface

Palm erase

## Natural Writing Experience

Professional Pen Design
Passive magnetic pen with 2 different tip sizes can be assigned to different colors automatically.

Smooth Dual Pen

Whiteboard with dual-pen feature auto-recognize the color and pen thickness separately.

1 **Magnetic pen holders**   2 **Front Facing speakers**   3 **Logo***   4 **Mic***   5 **IR Receiver**

6 **USB 2.0**   7 **USB 3.0**   8 **USB Type B**   9 **HDMI**   10 **Control Buttons**   11 **NFC Support***

*optional

Connectivity

IFX+ Series includes many ports to cover the highest requirements.

In addition to easily accessible front ports, IFX+ Series is equipped with embedded Wi-Fi and BT modules and many rear I/O ports.

USB Type-C

USB Type-C (3.0) can transfer 4K video with touch and charging capabilities

OPS Slot

IFX+ Series is compatible with OPS standard. Adding extra Windows PC on OPS slot enhances processing capabilities of the display.

3x HDMI-In   **HDMI-Out***   **DP-In***   **IR input**   **Headphone**   **OPS**

USB 3.0   **USB 2.0**   **USB Type C***   **RS232**   **LAN Fast Ethernet**   **Sensor input**   **OPTICAL SPDIF**

*Optional Features for IFX Series

Software Features

Array of Android Applications Delivers Different Ways of Student Engagement. The series offers built-in Android 9 OS with adaptable user interface that covers all the fundamental features needed for teachers and students. The product has many applications such as its own annotation tool as well as Screen sharing/mirroring application, File/Cloud Manager, OfficeSuite to work on documents, Web-Browser, Video-conferencing and Account Management System.

File Manager	MultiMedia Player	Chromium Browser	Distance Learning/ Web Conferencing*
Whiteboard*	ESharePro*	OfficeSuite*	AquaMail*

*optional

Whiteboard Application for Flawless Teaching Experience

The new IFX+ Series offers a compact whiteboard application design for teachers with the required tools to annotate, draw or highlight using 2 different tip sizes with auto-recognition, add texts and media to work on during classes. Whiteboard application can quickly open any cropped screenshots with any annotation done over any source. Latest features also include infinite canvas, background templates and QR/Email sharing.

| A135 | **** Only available in Full Flat & Full Flat Plus Aesthetics |

Hob Features

	B	C	D	E	F	G	H	I	J	K
Hob		Enamel	Enamel	Enamel	Enamel	Vitroceramic	Vitroceramic	Induction	Enamel	Enamel
Gas on Glass Hob		Optional	-	-	-	-	-	-	-	-
Rapid Gas Burner Ø10cm	W	3000	3000	-	-	-	-	-	3000	3000
Semi-rapid Gas Burner Ø7.5cm	W	1750	1750	-	-	-	-	-	1750	1750
Auxiliary Gas Burner Ø5.5cm	W	1000	1000	-	-	-	-	-	1000	1000
Wok (Triple Flame) Gas Burner Ø14cm	W	3800	-	-	-	-	-	-	3800	-
Ø 80 mm Hotplate	W	-	-	-	-	-	-	-	-	-
Ø 145 mm Hotplate	W	-	-	1000	1000	-	-	-	-	-
Ø 180 mm Hotplate	W	1500	1500	1500	1500	-	-	-	1500	1500
Ø 220 mm Hotplate	W	-	-	-	-	-	-	-	-	-
Ø 145 mm Rapid Hotplate	W	-	-	1500	1500	-	-	-	-	-
Ø 180 mm Rapid Hotplate	W	2000	2000	2000	2000	-	-	-	2000	2000
Ø 220 mm Rapid Hotplate	W	-	-	-	-	-	-	-	-	-
Ø145 mm Highlite Element	W	-	-	-	-	1200	1200	-	-	-
Ø180 mm Highlite Element	W	-	-	-	-	1800	1800	-	-	-
Ø210 mm Highlite Element	W	-	-	-	-	2300	-	-	-	-
Ø180 mm Dual Highlite Element	W	-	-	-	-	1700	1700	-	-	-
Oval Highlite Element	W	-	-	-	-	1800	1800	-	-	-
Ø210 mm Dual Highlite Element	W	-	-	-	-	2200	-	-	-	-
Ø160 mm Induction Hob (Boost)	W	-	-	-	-	-	-	1400/1800	-	-
Ø200 mm Induction Hob (Boost)	W	-	-	-	-	-	-	2100/2500	-	-
Hot Surface Indicator Light		-	-	-	-	Default	Default	-	-	-
Hotplate Operation Indicator Light		-	-	Default	Default	-	-	-	-	-
Thermostat Operation Indicator Light		-	-	Default	Default	Default	Default	Default	Default	Default
Stainless Steel Burner Pan (in case of gas on glass hob)		Optional	-	-	-	-	-	-	-	-
Metal Lid		Optional	Optional	Optional	Optional	-	-	-	Optional	Optional
Glass Lid (Transparent)		Optional	Optional	-	-	-	-	-	Optional	Optional
Glass Lid Shut-off Valve		Optional	Optional	-	-	-	-	-	Optional****	Optional****
Burner Safety Valves		Default	Default	-	-	-	-	-	Default	Default
Button Ignition		Optional	Optional	-	-	-	-	-	Optional	Optional
One-touch-Ignition through knobs		Optional	Optional	-	-	-	-	-	Optional	Optional
Ignition by DC battery		-	-	-	-	-	-	-	-	-
Enamel Pan Supports		Default	Default	-	-	-	-	-	Default	Default
Cast Iron Pan Supports		Optional	Optional	-	-	-	-	-	Optional	Optional
Cast Iron Burner Caps		Optional	Optional	-	-	-	-	-	Optional	Optional
Coffee Adaptor		Optional	Optional	-	-	-	-	-	Optional	Optional
Wok Adaptor		Optional	Optional	-	-	-	-	-	Optional	Optional
Vitroceramic Glass Cleaning Spatula		-	-	-	-	Optional	Optional	Optional	-	-

Oven Features

Main Oven

	B	C	D	E	F	G	H	I	J	K
Oven Type		Gas	Gas	Electric	Electric	Electric	Electric	Electric	Electric	Electric
Oven Volume, Depends On Model (min/max)	lt	61/71	47/56	66/76	48/58	66/76	48/58	66/76	66/76	48/58
Cavity Dimensions, Depends On Model (min/max) (WxDxH)	mm	450x328x415 / 475x328x454	370x328x388 / 390x328x441	450x352x415 / 475x352x454	370x391x335 / 395x41x335	450x352x415 / 475x352x454	370x391x335 / 395x41x335	450x352x415 / 475x352x454	450x352x415 / 475x352x454	370x391x335 / 395x41x335
Oven Light (25W)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Easy to Clean Enamel		Default	Default	Default	Default	Default	Default	Default	Default	Default
Catalitic Panels (Left, right and rear)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional

DO Specs (D061)

Open/Edit Documents with OfficeSuite

Experience unparalleled productivity with the OfficeSuite application, designed to empower users to open, edit, and write into any document, spreadsheet, or presentation on their IFPD files and folders. With OfficeSuite, you can seamlessly work on your files and folders with ease, while streamlining your workflow and maximizing your productivity.

Internet Browser to Access Internet Content for Classroom

Elevate your teaching experience with the IFX+ series, equipped with Chromium as the default internet browser, providing seamless access to the internet. With the help of the quick palette tool, teachers can effortlessly annotate on top of internet content, allowing for a more interactive and engaging classroom. Save annotated content and work on it more effectively, taking your lessons to the next level.

Quick Tools and Settings

The usage of IFX+ Series becomes more efficient and easy, with the new quick tools (Calculator, Chronometer, Timer, Screen Capture, and Crop) and quick settings (volume/brightness settings, Screen Lock, NFC Settings, and more) for teachers.

Enhanced User Experience

The IFX+ Series creates a tailored teaching experience while offering a unified Navigation Toolbar. New User Interface unites all the necessary tools for teachers to shape the classroom environment.

Flexible Pen Usage on Any Content

The newly introduced Quick Palette tool provides teachers with the needed tools to annotate on any classroom content and/or any Source. Quick Palette tools include features such as pen and highlighter, screenshot, and screen-crop.

Powerful Speakers

2x20W front-facing speakers can easily be effective even in the largest classrooms without any need to add external speakers.

Picture by Picture

Split Screen Feature allow 2 different applications to be opened at the same.

Vestel Account Management System

Transform your classroom management with the cloud-based Vestel Account Management system, designed to empower IT managers to securely set up teacher profiles.

The system offers a range of features, including user/password creation and NFC ID settings, UI customization for background and profile images, and favorite app selection for users. With display and group management, you can easily manage and control your devices with commands, streamlining your workflow and enhancing your productivity.

And with upcoming features such as urgency/warning messages, app installation, predefined background images, and device control commands, the Vestel Account Management system is the ultimate classroom management tool that you don't want to miss out on. Take your classroom management to the next level with Vestel Account Management system.

Wireless Screen Sharing

Empowers users to share any external content without any cables.

Utilizing embedded Wi-Fi technology the new IFX+ Series provides Eshare application, multi-screen interactive screensharing tool.

Using only QR codes, users can connect to the display by any device (Windows, Android, MacOS, iOS, Chrome), create Multiscreen experience, and annotate on the display wirelessly.

Distance Learning

With Vmeet, IFX+ series can create meetings, join the meetings and share the educational material to any student. Addition of distance learning solution facilitates the teacher's reach to the students outside the class.

Specifications

https://www.vestelvisualsolutions.com/eu/products/interactive-flat-panel-displays

For further information about products specifications
please scan the QR code.

VESTEL TRADE CO.
Organize Sanayi Bölgesi, 45030 Manisa/Türkiye
Phone: 90 - 236 233 25 82
Fax: 90 - 236 233 25 84
vesteltrade@vestel.com.tr
www.vestelinternational.com

VESTEL HOLLAND BV
Stationsplein 45, A2-191 3013 AK Rotterdam, The Netherlands
Phone: +31 - 10 412 23 66
https://vestelbenelux.nl
info@vestelbenelux.nl

VESTEL HOLLAND B.V. UK BRANCH OFFICE
Vestel House, Waterside Drive Langley, Berkshire SL3 6EZZ
Phone: +44 - 3330 146 400
https://vestel.co.uk
info@vestel-uk.com

VESTEL HOLLAND B.V. GERMANY BRANCH OFFICE
Parkring 6 D-85748 Garching bei München/ Germany
Phone: +49 - 89 55295 - 0
https://vestel-germany.de
info@vestel-germany.de

VESTEL IBERIA, S. L.
Paeso Doce Estrellas, 2, 3o. 28042. Madrid, Spain
Phone: +34 - 91 320 63 98
https://vestel.es
vestel@vestel.es

VESTEL FRANCE SASU
17 Rue de la Couture - Parc Icade BP 10190 - 94563 RUNGIS Cedex/France
Phone: +33 - 1 46 75 00 29
http://vestel-france.fr
info@vestel.fr

VESTEL CIS LTD.
2 Gorbunova st., Bld. No 3, office A305 Moscow, 121569, Russia
Phone: 7 - 495 956 8230
https://vestel.ru
info@vestel.ru

VESTEL ELECTRONICA
Bucharest, 1st District, 2-4 Murmurului Entrance, 014114 Bucharest/Romania
Phone: +40 - 31 425 42 93
https://vestel.ro
office@vestel.ro

VESTEL HOLLAND B.V. POLAND BRANCH OFFICE
Oddział w Polsce Ul. Salsy 2,
02-823 Warszawa
Phone: +48 22 272 73 00
Fax: +48 22 272 74 00
https://vestel-poland.com
info@vestel-poland.com

VESTEL ELECTRONICS GULF DMCC
Unit No. ALMAS-06-C, Almas Tower, Plot No. JLT-PH1-A0, Jumeirah Lake Towers, Dubai, UAE
Phone: +971 - 4 564 6544
https://vestel-gulf.ae
info@vestel-gulf.ae

TOO VESTEL CENTRAL ASIA
050026 Kazakhsatan/Almaty Aiteke bi 187, office:215
Phone: 7 - 727 263 39 39
info@vestel.kz

VESTEL CHINA
Vestel Electronics (Shanghai) Trading Co., Ltd. Shenzhen Branch Room 2606, Time Square Excellence. No 4068 Yi Tian Rd, Fu Tian District. Shenzhen City, Guangdong, China. 518048
Phone: 86-755-2266 6726

VESTEL VIETNAM
The Rep. Office of Vestel Electronics (Shanghaı) Trading Co. Ltd. in Ho Chi Minh City – VIETNAM Floor 46, Bitexco Financial Tower , 02 Hai Trieu, Ben Nghe Ward, District 1 , Ho Chi Minh City, Vietnam

VESTEL USA INC.
390 5TH AVE ROOM 805 NEW YORK, NEW YORK 10018
Phone: 212 689 4622 x12

Notes

Notes

Notes