



Key Features



Market Specific

Offering a flexible signage solution, our Totem is perfect for a wide variety of applications, working well for multiple vertical markets, such as the transport and entertainment industries.



Double-Sided

Vestel's Totem offers a double sided display option, enabling your branding to reach more people.



Robust Design

Offering an eye-catching as well as robust design, our slim, stand-alone Totem can provide built-in PC functionality, giving you a self-contained content management system.

Display

Backlight Type	EDGE TYPE LED (DUAL STRING)	Brightness (typical)	900
Native Resolution	1920 x 1080 (16:9)	Contrast Ratio (typical)	4000:1
Dynamic Contrast Ratio	1M:1	Life Time (typical)	30,000 hr / 50,000 Hr
Response Time (typical)	8 ms	Cabinet	T05
Active Area (H x V)	1435.5 (mm) x 810.5 (mm)	Viewing Angle	178°
White Uniformity	≤ 25%	Color Value	10 bit, 1.06B
H-Freq	67.5 kHz	Max. Pixel Freq.	74.25 MHz
Refresh Rate	60 Hz	Front Type	Hard Coating
Orientation	Portrait	Operation Hours	a-Si TFT Tv Panel
Area of Usage	Indoor		

Rear I/Os

External Control	RS232 (D-Sub 9P)
------------------	------------------

Storage Conditions

Temperature Conditions	-15°C / +40°C
------------------------	---------------

PC Specifications

CPU	Intel i3 4000M	Chipset	4th Generation Intel HM86 Chipset
GPU	Intel® HD Graphics 4600	Memory	4GB (up to 16 GB) 1333/1600 Mhz DDR3 RAM
Network	LAN: 10/100/1000 Mbps, Ethernet WLAN: 802.11 b/g/n (802.11a/b/g/n optional), Bluetooth 4.0 (optional), 3G: N/A	Storage	SSD: 256 GB, HDD: 500 GB
I/O Ports	1 x RJ45, 10/100/1000 Mbps Ethernet, 2 x USB 3.0 Ports, 2 x USB 2.0 Ports, 1 x Headphone 3.5 mm jack, 1 x Microphone 3.5 mm jack, 2 x Wifi Antenna Connector	Operating System	Windows 10

Environmental Conditions

Operating Temperature	0°C / +40°C	Operating Humidity	90%
-----------------------	-------------	--------------------	-----

Power

Power Supply	220 - 240 VAC / 50 - 60Hz
--------------	---------------------------

Power Consumption

Typical	308 W	Deep Standby	3W
---------	-------	--------------	----

Mechanical Features

Size (w/foot)	1028x488x1948(mm)	Size (wo/foot)	1028x77.5x1718(mm)
Weight (kg)	70 kg	Shipping Weight (kg)	125 kg
Vesa Mounting Size	600 mm x 400 mm		

Features

Main Features	Pluggable PC (VPS) compliance	Mechanical Features	Vertikales, schlankes Design mit Standfuß, Antireflexglas
Optional Features	Vsign - Content Management Software		

Accessory

Standard	IB, Power Cord	Optional	VPS
----------	----------------	----------	-----

Certification

Safety	YES	EMC	YES
CB	YES	CE	YES