



Key Features



Robust Design

Offering an eye-catching as well as robust design, our slim, stand-alone Totem can provide built-in PC functionality, giving you a self-contained content management system.



Double-Sided

Vestel's Totem offers a double sided display option, enabling your branding to reach more people.



Market Specific

Offering a flexible signage solution, our Totem is perfect for a wide variety of applications, working well for multiple vertical markets, such as the transport and entertainment industries.

Display

Backlight Type	EDGE TYPE LED (DUAL STRING)	Brightness (typical)	900
Native Resolution	1920 x 1080 (16:9)	Contrast Ratio (typical)	4000:1
Dynamic Contrast Ratio	1M:1	Life Time (typical)	30,000 hr / 50,000 Hr
Response Time (typical)	8 ms	Cabinet	T05
Active Area (H x V)	1435.5 (mm) x 810.5 (mm)	Viewing Angle	178°
White Uniformity	≤ 25%	Color Value	10 bit, 1.06B
H-Freq	67.5 kHz	Max. Pixel Freq.	74.25 MHz
Refresh Rate	60 Hz	Front Type	Hard Coating
Orientation	Portrait	Operation Hours	a-Si TFT Tv Panel
Area of Usage	Indoor		

Rear I/Os

External Control	RS232 (D-Sub 9P)
------------------	------------------

Storage Conditions

Temperature Conditions	-15°C / +40°C
------------------------	---------------

PC Specifications

CPU	Intel i3 4000M	Chipset	4th Generation Intel HM86 Chipset
GPU	Intel® HD Graphics 4600	Memory	4GB (up to 16 GB) 1333/1600 Mhz DDR3 RAM
Network	LAN: 10/100/1000 Mbps Ethernet, WLAN: 802.11 b/g/n (802.11a/b/g/n optional), Bluetooth 4.0 (optional), 3G: N/A	Storage	SSD: 256 GB, HDD: 500 GB
I/O Ports	1 x RJ45, 10/100/1000 Mbps Ethernet, 2 x USB 3.0 Ports, 2 x USB 2.0 Ports, 1 x Headphone 3.5 mm jack, 1 x Microphone 3.5 mm jack, 2 x Wifi Antenna Connector	Operating System	Windows 10

Environmental Conditions

Operating Temperature	0°C / +40°C	Operating Humidity	90%
-----------------------	-------------	--------------------	-----

Power

Power Supply	220 - 240 VAC / 50 - 60Hz
--------------	---------------------------

Power Consumption

Typical	616 W	Deep Standby	3W
---------	-------	--------------	----

Mechanical Features

Size (w/foot)	1028x488x1948(mm)	Size (wo/foot)	1028x77.5x1718(mm)
Weight (kg)	95 kg	Shipping Weight (kg)	150 kg
Vesa Mounting Size	600 mm x 400 mm		

Features

Main Features	Pluggable PC (VPS) compliance	Mechanical Features	Garantiekarte, Stromversorgungskabel
Optional Features	Vsign - Content Management Software		

Accessory

Standard	IB, Power Cord	Optional	VPS
----------	----------------	----------	-----

Certification

Safety	YES	EMC	YES
CB	YES	CE	YES