





Key Features



Cefnogaeth Teledu Gwesty Vestel Diiguest™

Gellir rheoli setiau teledu Lletygarwch Vestel trwy ddatrysiaid Meddalwedd gwerth ychwanegol. Digiguest yw datrysiaid Teledu Lletygarwch VESTEL ei hun a Meddalwedd Rheoli Canolog (CMS) sy'n dod ag ystod o swyddogaethau penodol, sy'n caniatáu i westywr wneud y mwyaf o'u boddhad gwesteion, cryfhau a gwella eu busnes lletygarwch. Diolch i'w ddull gweithio deul, gan gynnig ateb cost-effeithiol ym mhob math o seilwaith.



Clonio USB a Chlonio Rhwydwaith

Mae clonio USB yn caniatáu ichi gopïo gosodiadau un teledu i bob uned teledu arall mewn ffordd haws, yn eich atal rhag delio â gosodiadau sy'n cymryd llawer o amser. Er enghraifft, gallwch gopïo gosodiadau neu restr sianeli un teledu i lawer iawn o deledu trwy ddefnyddio clonio USB. Fel hyn, gallwch chi safoni'r holl setiau teledu heb dreulio llawer o amser. Gellir rheoli Clonio USB o flaen gweithrediad teledu neu o bell dros soced TCP/IP.



Cefnogaeth Integreiddiwr 3ydd Parti

Mae gan setiau teledu lletygarwch opsiwn i adael i integreiddiwr 3ydd parti redeg eu cymhwysiad yn frodorol. Diolch i nodwedd STB Built-in, gallwch ddefnyddio amryw o wahanol atebion Lletygarwch gyda dim ond mân gyfluniad.



Remote Access


Rheolaeth o Bell - Gorchmynion Cyfresol a LAN

Mae gorchmynion RS232 a LAN uwch yn rhoi 250+ o orchmynion i chi reoli setiau teledu o bell dros gysylltiad Cyfresol neu soced TCP/IP. Mae yna categorïau amrywiol; Sain, Fideo, Porwr, System Ffeiliau, Rhwydwaith, Llun, Tabl Rhaglen, Porwr Cyfryngau ac ati, mae gan bob categori lawer o orchmynion penodol. Gellir rheoli'r gorchmynion hyn hefyd trwy HTML / JS API.



Arddangosfa Miracast a Di-wifr a DLNA

Gallwch reoli eich Teledu Lletygarwch gyda'ch dyfeisiau symudol yn ddi-wifr. Mae'n bosibl anfon cynnwys amlgyfrwng o'ch dyfeisiau i'ch teledu er mwyn eu gweld ar sgrin deledu fawr. Mae technoleg Miracast & Wireless Display yn rhagamcanu'ch sgrin symudol gyfan ar yr un pryd, tra bod DLNA ond yn caniatáu i gynnwys cyfryngau gael ei daflunio.



Nodwedd SoftAP

Y dyddiau hyn mae busnesau yn ceisio dod o hyd i ffyrdd effeithiol o gynyddu eu Cwmpas Wi-Fi. Gall setiau teledu sydd wedi'u galluogi gan y modd lletygarwch ymestyn eich rhwydwaith gwifrau i fod yn ddiwifr trwy ddefnyddio eu haddaswyr Wi-Fi presennol. Gyda chynllunio cwmpas da, efallai y byddwch yn lleihau nifer sylweddol o bwyntiau mynediad Wi-Fi yn eich adeilad.

Arddangos

Screen Size	75" / 189cm	Segment	High-Range
Design Code	75400	Chassis (Board)	MB230

Fideo Cyffredinol

Size	75"	Cabinet No	75400
HD/FHD/UHD	UHD	Resolution	3840x2160
Type	D-LED	Dynamic Contrast Ratio	100,000:1
Aspect Ratio	16:9, 14:9, 4:3, Cinema	Brightness (cd/m2)	300
Viewing Angle	178° (H) 178° (V)	Progressive Scan	Yes
IP Channel Tuning	Multicast Unicast	Tuning Systems	PAL/SECAM DVB-T2/C/S2
Digital Noise Reduction	Yes		

Sain

Audio Output	2X12W RMS (%10 THD)	Front Speaker	Not Available
Dolby Audio	Dolby Audio Processing + Dolby Atmos	Invisible Speaker	Yes
Equalizer (5 Band)	Yes	Bathroom Speaker	Yes
Auto Volume Lever (AVL)	Yes	Sound Type	DTS HD + DTS TruSurround
Carrier Mute	Yes		

System Adeiledig

Wireless Display	Miracast Intel WiDi
------------------	---------------------

Cysylltiadau

RF IN	Yes	SCART	Optional
VGA (PC In: D-sub15)	Yes	HDMI	3 HDMI
USB	2 USB	CI+	Yes
LAN - Ethernet	Yes	Wi-Fi	Yes
YPbPr	Yes	Bluetooth	Yes

Audio

Invisible Speaker	Yes	Audio Output	2X12W RMS (%10 THD)
Equalizer (5 Band)	Yes	Carrier Mute	Yes

Nodweddion

Digiguest IP HotelTV system	Optional	Information Services	HotelTV (IP & Coax)
Digiguest Coax HotelTV system	Optional	Digiguest Basic HotelTV system	Yes
Welcome Message (Splash image)	HotelTV (IP & Coax)	USB Clonning	Yes
DVB-S/S2/C/T/T2	Yes	Enable/Disable Installation Menus	Yes
Smart Portal	If Internet Available	Multi IR Code	Yes
Auto TV Off / Auto Sleep	Yes	DRM Options	PlayReady, Widevine, Marlin
Anti Theft Battery System	Yes	Prison Mode	Yes
Wake-up Alarm / Sleep Timer	HotelTV (IP & Coax)	USB Media Player	Yes
Smart TV features	If Internet Available	Hospital Mode	Yes
Open Browser	Yes	Power Save mode (Energy Saving)	Yes
Electronic Program Guide	Now + Next EPG	Proxy Support	Yes
Energy Saving	Yes	Hospitality Configurations (Up to 20 features)	Yes
VESA Compatible	M8 600X400	Auto Data Erase	Yes
Swivel Stand	Optional	Welcome Logo (Image while Opening TV)	Yes
Bootlogo (Image while Cold Restart)	Yes	Multi IR (RC Mapping)	Yes
Advanced Features (Digiguest HotelTV)	Digiguest (IP & Coax)	Built-In Solution (No extra RC, STB)	Digiguest (IP & Coax)
Soft AP Feature	Digiguest (IP & Coax)	Centralized Management Server (CMS)	Digiguest (IP & Coax)
Language Support (Up to 26 Languages)	Digiguest (IP & Coax)	Quick Installation Tools (Room Registering)	Digiguest (IP & Coax)
Hospitality UI (Customized HomePage)	Digiguest (IP & Coax)	Intro-Promotional Hotel Video	Digiguest (IP & Coax)
Video On Demand	Digiguest (IP & Coax)	Property Management System (PMS)	Digiguest (IP & Coax)
Mixed Channel List (DVB-T2/C/S2, IP, Analog)	Digiguest (IP & Coax)	Flexible Channel Editor	Digiguest (IP & Coax)
Channel Sorting for Guest Nationality	Digiguest (IP & Coax)	Sending Messages (Text & Multimedia)	Digiguest (IP & Coax)
Program Sorting	Digiguest (IP & Coax)	Customizable SmartTV Apps	Digiguest (IP & Coax)
Advertisement Options Banner & Logo & Image	Digiguest (IP & Coax)	Maps Interaction & Nearby Services & Taxi	Digiguest (IP & Coax)
Two-way Communication (Feedback Mechanism)	Digiguest IP Only	IPTV & OTT Channel Tuning	Digiguest IP Only
Room Service Ordering	Digiguest IP Only	Instantaneous Response from TV	Digiguest IP Only
Gathering Statistics	Digiguest IP Only		

Ategolion

Power Cable	Yes	Stand	Yes
Stand Mount Kit	Yes	Screws	Yes